



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/523,032	07/27/2005	Alfred Hofrichter	264743US0PCT	8796
22850	7590	09/05/2008	EXAMINER	
OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, P.C. 1940 DUKE STREET ALEXANDRIA, VA 22314			SMITH, FRANCIS P	
			ART UNIT	PAPER NUMBER
			1792	
			NOTIFICATION DATE	DELIVERY MODE
			09/05/2008	ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com  
oblonpat@oblon.com  
jgardner@oblon.com

<b>Office Action Summary</b>	<b>Application No.</b> 10/523,032	<b>Applicant(s)</b> HOFRICHTER ET AL.	
	<b>Examiner</b> Francis P. Smith	<b>Art Unit</b> 1792	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 27 July 2005.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-10 and 12 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-10 and 12 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                     | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

## DETAILED ACTION

### *Response to Arguments*

1. Applicant's arguments filed June 6, 2008 have been fully considered but they are not persuasive. Claims 1-10 and 12 are amended, currently pending, and examined on the merits. Objection to claims 3-5 is withdrawn. Amendment to the claims has overcome previous 112 second paragraph rejections; however, new grounds of rejection have been made based on applicants' amendments (see below).

Applicants argue against the rejection based on Yang, alleging that Yang does not teach selecting a minimum coating temperature based on a maximum usage temperature of the coated substrate being prepared. However, it is noted that Yang teaches the deposition of protective coatings or films on various substrates (i.e. glass, metals, and **polycarbonate** plastics) (see page 2, lines 3-8 and 37-40). Specifically, Yang forms substantially the same protective coating utilizing the same precursor materials on the same polycarbonate plastic substrates. Yang also discloses utilizing the coated substrate at a temperature 20°C less than a temperature that causes deformation (page 2, line 56-page 3, line 1). As Yang utilizes the same substrate as the instant application and the substrate is coated with substantially the same material, the coated substrate has a maximum usage temperature of at least 90° C. Additionally, Yang teaches substrate temperatures for forming a coating of 80° C, which is analogous to forming a coating comprising forming the coating at a temperature that is equal to or exceeds a minimum coating temperature/the minimum coating temperature is 20° C less than the maximum usage temperature (see table 7; pg. 2, line 37-46).

***Claim Rejections - 35 USC § 112***

2. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

3. Claims 1-7, 8, 9 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Specifically, claim 1 recites "minimum coating temperature" (see claim 1, lines 7-8). Similarly, the instant application lacks support for "forming the coating at a temperature of **about** a temperature at which the transparent plastic substrate weakens" as per claim 5, lines 3-4. Claims 2, 4, 6, 7, and 9 are rejected for inheriting the deficiencies from the claims upon which they depend.

***Claim Rejections - 35 USC § 103***

4. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
5. Claims 1-7, 9, 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yang et al. (EP 0887437).

For claims 1-2, Yang teaches a method for depositing a protective coating on a

Art Unit: 1792

substrate by high rate arc plasma deposition (i.e. plasma CVD as per claim 2).

Specifically, the method entails forming an abrasion-resistant coating onto a plastic substrate by plasma deposition (pg. 2, lines 24-29, 56-58; pg. 3, line 1). The process is conducted at temperatures below the thermal damage threshold, at a temperature at least 20°C below the glass transition temperature (pg. 2, lines 24-29, 56-58; pg. 3, line 1). Yang remains silent about a “maximum usage temperature/minimum coating temperature.” However, one skilled in the art would have found obvious to coat/use the substrate at the temperatures being below the glass transition temperatures since exceeding the glass transition temperatures of the plastic substrate during its use will result in deformation of the substrate/coated substrate.

As per the varying coating temperatures of claims 3-5, it would have been well within the level of ordinary skill in the art to optimize the coating temperature depending on the specific type of substrate and coating material used. Thus, it is noted that this parameter is considered result effective. Low coating temperatures will affect film uniformity and thickness, whereas excessive temperatures would pyrolyze the substrate/coating material. Furthermore, while lacking a notification of criticality or substantial evidence, the discovery of optimum values of result effective variables in known processes would have been obvious to a person of ordinary skill in the art at the time of the invention in the absence of unexpected results. Consult *In re Boesch and Slaney* (205 USPQ 215 (CCPA 1980)).

Regarding claim 6, Yang discloses a deposition time ranging from several seconds to several minutes and includes an oxygen plasma post treatment lasting 0-

Art Unit: 1792

10 seconds before the plasma is extinguished. Once the plasma is extinguished, the substrate will necessarily cool. Furthermore, the substrates were subsequently placed in a water bath after deposition (e.g. cooling means) (pg. 5, line 53; pg. 6, lines 42-43).

For claim 7, Yang teaches exposing the substrate to a first gas for a first time period, then exposing the substrate to a second gas for a second time period (i.e. forming a coating in several stages) (pg. 6, lines 36-38).

As per claim 9, Yang discloses heating the substrate (i.e. polycarbonate) to 400°C (i.e. at least 120°C) (pg. 6, lines 20-25).

Addressing claim 10, Yang teaches a product comprising a 3µm abrasion-resistant layer on a polycarbonate (i.e. **transparent**) substrate, as per the amended claim (pg. 4, lines 25-26, 51-53). Because of the nature of product-by-process claims, the Examiner cannot ordinarily focus on the precise difference between the claimed product and the disclosed product. It is then Applicants' burden to prove that an unobvious difference exists. See *In re Marosi*, 218 USPQ 289,292-293 (CAFC 1983).

6. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Yang et al. (EP 0887437) in view of Hunt et al. (WO 01/02622A2).

For claim 8, Yang teaches a method for depositing a protective coating by high rate arc plasma deposition. The process is conducted at temperatures below the thermal damage threshold, at a temperature at least 20°C below the glass transition temperature (i.e. stabilizing the substrate to be coated at a temperature at least equal to the maximum temperature of use of the coated substrate minus 20°C ) (pg. 2, lines 56-

Art Unit: 1792

58; pg. 3, line 1). Yang does not teach forming the coating while ensuring that the temperature does not exceed the temperature at which the plastic weakens, or the repetition of steps.

Hunt discloses methods for producing coatings on a glass substrate (i.e. any material that can crack, break, or otherwise be damaged). Hunt notes that temperature differentials will create internal stress and ultimately break or shatter the substrate. These differentials may be alleviated by allowing the substrate to recover between subsequent coatings (i.e. taking care that the temperature of the substrate does not reach the temperature at which the plastic weakens). This temperature control allows for multiple exposures to the flame (i.e. carrying out operations a and b) (pg. 12, lines 11-28). Furthermore, Hunt discloses the use of a flame arrangement where the coating flames are arranged in a line. This allows the substrate to recover between flames, stabilizing the substrate, yet providing multiple coatings (e.g. a repetition of steps) of the same or different material to a desired thickness (pg. 13, lines 9-30). Therefore, it would have been obvious to one skilled in the art at the time of the invention to incorporate Hunt's temperature controlled, coat-forming flame line in Yang's method in order to successfully coat a plastic substrate while minimizing internal stress.

7. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Yang et al. (EP 0887437) in view of Reed et al. (WO 89/01957).

Regarding claim 12, Yang does not teach a vehicle body part, a vent, or a window comprising said product.

Reed teaches abrasion resistant articles. Specifically, Reed discloses that polycarbonates, used for their excellent breakage resistance, are treated for abrasion resistance for use in polycarbonates having abrasion resistant layer (see Reed pg. 1, lines 7-16; pg. 3, lines 14-29). Therefore, since Reed discloses that polycarbonates, used for their excellent breakage resistance, are treated for abrasion resistance for use in automobile headlamps, stoplight lenses, and safety shields in windows and Yang teaches polycarbonates having an abrasion resistant layer, it would be obvious to utilize the polycarbonates having the abrasion resistant layer of Yang in the automobile headlights of Reed with the reasonable expectation of success.

### ***Conclusion***

**THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the



Art Unit: 1792

examiner should be directed to Francis P. Smith whose telephone number is (571) 270-3717. The examiner can normally be reached on Monday through Thursday 7:00 AM-5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mikhail Kornakov can be reached on (571) 272-1303. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/F. P. S./  
Examiner, Art Unit 1792

/Michael Kornakov/  
Supervisory Patent Examiner, Art Unit 1792